Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#				Operator	, , , , , , ,	•
L1	3	(("6326806") or ("5974547") or ("6374318")).PN.	USPAT	OR	OFF	2004/12/12 21:00
L2	2	L1 and version	USPAT	OR	OFF	2004/12/12 20:37
L3	3	L1 and internet	USPAT	OR	OFF	2004/12/12 20:38
L4	0	L1 and iurl	USPAT	OR	OFF	2004/12/12 20:38
L5	0	L1 and url	USPAT	OR	OFF	2004/12/12 20:41
L6	1	L1 and lan	USPAT	OR	OFF	2004/12/12 20:42
L7	1	L1 and ethernet	USPAT	OR	OFF	2004/12/12 20:43
L8	0	L1 and udp	USPAT	OR	OFF	2004/12/12 20:43
L9	2	L1 and tcp	USPAT	OR	OFF	2004/12/12 20:44
L10	1	L1 and link	USPAT	OR	OFF	2004/12/12 20:44
L11	0	L1 and link with layer	USPAT	OR	OFF	2004/12/12 20:44
L12	1	L1 and (transport or ipx)	USPAT	OR	OFF	2004/12/12 20:46
L13	981	udp with packet	USPAT	OR	OFF	2004/12/12 20:46
L14	86	udp with packet and ipx with packet	USPAT	OR	OFF	2004/12/12 20:47
L15	126	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and audio with feedback with status 14	USPAT	OR	OFF	2004/12/12 20:46
L16	0	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and audio with feedback with status and 14	USPAT	OR	OFF	2004/12/12 20:46
L17	0	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and audio with feedback with status and udp	USPAT	OR	OFF	2004/12/12 20:46
L18	42	udp with packet and ipx with packet and "709"/\$.ccls.	USPAT	OR	OFF	2004/12/12 20:48
L19	24	udp with packet\$1 and ipx with packet\$1 and broadcast\$4 with packet\$1 and "709"/\$.ccls.	USPAT	OR	OFF	2004/12/12 20:51
L20	16781	udp with packet\$1 and ipx with packet\$1 and broadcast\$4 with packet\$1 and internet with security and firewall "709"/\$.ccls.	USPAT	OR	OFF	2004/12/12 20:52
L21	2	udp with packet\$1 and ipx with packet\$1 and broadcast\$4 with packet\$1 and internet with security and firewall and "709"/\$.ccls.	USPAT	OR	OFF	2004/12/12 20:53
L22	0	udp with packet\$1 and ipx with packet\$1 and broadcast\$4 with packet\$1 and internet with security and firewall and xml	USPAT	OR	OFF	2004/12/12 20:53

L23	3	1 and storage	USPAT	OR	OFF	2004/12/12 21:13
L24	0	xml and pda and (phone or cellphone or telephone) and computer and (game or videogame) and appliance and video and (pager or paging) with device	USPAT	OR	OFF	2004/12/12 21:15
L25	335	xml and pda	USPAT	OR	OFF	2004/12/12 21:15
L26	- 86	xml and pda and pager	USPAT	OR	OFF	2004/12/12 21:15
L27	10	xml and pda and pager and game	USPAT	OR	OFF	2004/12/12 21:15
L28	10	xml and pda and pager and game and computer	USPAT	OR	OFF	2004/12/12 21:15
L29	7	xml and pda and pager and game and computer and phone	USPAT	OR	OFF	2004/12/12 21:15
L30	2	xml and pda and pager and game and computer and phone and appliance	USPAT	OR	OFF	2004/12/12 21:15
L31	2	xml and pda and pager and game and computer and phone and appliance and record\$	USPAT	OR	OFF	2004/12/12 21:15
S1	2	(("6326806") or ("5974547")).PN.	USPAT	OR	OFF	2004/12/12 18:31
S2	5215	709/203,218,232,238,250.ccls.	USPAT	OR	OFF	2004/12/12 16:04
S3	1539	370/254,351,395.1,395.52.ccls.	USPAT	OR	OFF	2004/12/12 16:04
S4	6592	S2 or S3	USPAT	OR	OFF	2004/12/12 16:04
S5	125	370/395.52.ccls.	USPAT	OR	OFF	2004/12/12 16:04
S6	162	S2 and S3	USPAT	OR	OFF	2004/12/12 16:04
S7	0	370/395.52.cor. and S6	USPAT	OR	OFF	2004/12/12 16:05
S8	1973221	370/395.52.cor. "26"	USPAT	OR	OFF	2004/12/12 16:05
S9	0	370/395.52.cor. and S2	USPAT	OR	OFF	2004/12/12 16:05
S10	1	370/395.52.cor. and "709"/\$.ccls.	USPAT	OR	OFF	2004/12/12 16:05
S11	349	pld.ab.	USPAT	OR	OFF	2004/12/12 16:05
S12	2	pld.ab. and S4	USPAT	OR	OFF	2004/12/12 16:05
S13	3	packet\$1 same filter\$4 same (pld or programmable with logic with device\$4 or pnut)	USPAT	OR	OFF	2004/12/12 16:08
S14	1386	(pld or programmable with logic with device\$4 or pnut).ab.	USPAT	OR	OFF	2004/12/12 16:07
S15	11	(pld or programmable with logic with device\$4 or pnut).ab. and S4	USPAT	OR	OFF	2004/12/12 16:07
S16	349	filter\$4 same (pld or programmable with logic with device\$4 or pnut)	USPAT	OR	OFF	2004/12/12 16:08
S17	2	filter\$4 same (pld or programmable with logic with device\$4 or pnut) and S4	USPAT	OR	OFF	2004/12/12 16:09

S18	22	filter\$4 same (pld or programmable with logic with device\$4 or pnut) and ("709"/\$.ccls. or "370"/\$.ccls.)	USPAT	OR	OFF	2004/12/12 16:10
S19	12	(filter\$4 same (pld or programmable with logic with device\$4 or pnut)).ab.	USPAT	OR	OFF	2004/12/12 16:11
S20	1	(filter\$4 same (pld or programmable with logic with device\$4 or pnut)).ti.	USPAT	OR	OFF	2004/12/12 16:11
S21	0	S1 and filter\$	USPAT	OR	OFF	2004/12/12 17:07
S22	57	pnut	USPAT	OR	OFF	2004/12/12 17:12
S23	0	pnut.ab.	USPAT	OR	OFF	2004/12/12 17:12
S24	36	pnut and network	USPAT	OR	OFF	2004/12/12 17:12
S25	0	"6374318".pn. and filter\$ and (pld or programmable with logic with device\$1) and packet\$	USPAT	OR	OFF	2004/12/12 17:21
S26	1	"6374318".pn. and filter\$ and (pld or programmable with logic with device\$1)	USPAT	OR	OFF	2004/12/12 17:21
S27	1	S1 and (user\$1 or client\$1) same input	USPAT	OR	OFF	2004/12/12 17:57
S28	0	"66403345590060"	USPAT	OR	OFF	2004/12/12 17:57
S29	0	"6640334 5590060"	USPAT	OR	OFF	2004/12/12 17:57
S30	2	"6640334".pn. or "5590060".pn.	USPAT	OR	OFF	2004/12/12 17:57
S31	3	(("6326806") or ("5974547") or ("6374318")).PN.	USPAT	OR	OFF	2004/12/12 18:31
S32	950	S3 and memory	USPAT	OR	OFF	2004/12/12 18:31
S33	3	S31 and memory	USPAT	OR	OFF	2004/12/12 18:56
S34	1	S31 and (audio or sound or auditory)	USPAT	OR	OFF	2004/12/12 18:56
S35	1	S31 and (audio or sound or auditory or speaker)	USPAT	OR	OFF	2004/12/12 18:57
S36	1	S31 and security	USPAT	OR	OFF	2004/12/12 18:58
S37	1	S31 and switch	USPAT	OR	OFF	2004/12/12 19:01
S38	2	S31 and command	USPAT	OR	OFF	2004/12/12 19:02
S39	0	S31 and visual	USPAT	OR	OFF	2004/12/12 19:02
S40	2	S31 and (led or lcd or display)	USPAT	OR	OFF	2004/12/12 19:03
S41	976	led\$1 same status and lcd\$1 same status	USPAT	OR	OFF	2004/12/12 19:04
S42	178	led\$1 same status with device\$1 and lcd\$1 same status with device\$1	USPAT	OR	OFF	2004/12/12 19:04
S43	10	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and "709"/\$.ccls.	USPAT	OR	OFF	2004/12/12 19:05
S44	2	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and "709"/\$.ccls. and audio with feedback	USPAT	OR	OFF	2004/12/12 19:06

S45	45	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and audio with feedback	USPAT	OR	OFF	2004/12/12 19:06
S46	40	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and audio with feedback with status	USPAT	OR	OFF	2004/12/12 20:46
S47	0	led\$1 same status with device\$1 and lcd\$1 same status with device\$1 and audio with feedback with status and "370"/\$.ccls.	USPAT	OR	OFF	2004/12/12 19:06

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publica	ations/Services	Standards Conferen	ces Careers/Jobs	
	Xplore RELEASE 1.	3		I EEE Xplore[®] 1 Million Documents 1 Million Users
	E Peer Review	Quick Links	_	» Se.
Welcome to IEEE Xplore•				
O- Home O- What Can I Access? O- Log-out		ng order.		ge, sorted by Relevance
Tables of Contents	You may re	efine your search by	editing the current se	arch expression or enteri
O- Journals		the text box.	Soc	arch
& Magazines Conference Proceedings	1) <and> (filter<in>ab) o search within this</in></and>		
O- Standards	Results K	ey:		
Search	1 Realizat Jhon, HS. Yook; Jia,	access to full-text tion of HTS trisection; Chang Hoon Jeon, Q.X.; Sang Yeol Lee, perconductivity, IEE - 296	; E Transactions on , Vo	D = Standard ng Sik Myoung; Jong Gwa
O- Access the IEEE Member Digital Library ILLUL Latropoids O- Access the IEEE Enterprise File Cabinet	Cheol-Su k	(im; Seok Cheon So perconductivity, IEE	ng; Sang Yeol Lee; E Transactions on , Vo	center frequency of 22
Print Format	Lorenz, M., V.; Stanca, Applied Su 2001 Pages:320 [Abstract] 4 A voltag Won-Youl	; Hochmuth, H.; Mar , I.; Kastner, G.; He perconductivity, IEE 9 - 3212 [PDF Full-Text (54) Ge-controlled tuna Choi; Trolier-McKins	tusch, D.; Kusunoki, M sse, D.; E Transactions on , Vo 18 KB)] IEEE JNL ble thin-film distrib	

Components, Packaging and Manufacturing Technology, Part A: Packaging Technologies, IEEE Transactions on], Volume: 24, Issue: 1, March 2001 Pages: 33 - 37

[Abstract] [PDF Full-Text (132 KB)] IEEE JNL

5 Performance of superconducting dual mode resonators with differer input/output feedline angles

Sang Yeol Lee; Joo Hyung Park; Dal Ahn;

Applied Superconductivity, IEEE Transactions on , Volume: 9 , Issue: 2 , June

Pages: 2853 - 2856

[Abstract] [PDF Full-Text (220 KB)] IEEE JNL

6 Ag-doped double-sided PLD-YBCO thin films for passive microwave devices in future communication systems

Lorenz, M.; Hochmuth, H.; Natusch, D.; Lippold, G.; Svetchnikov, V.L.; Kaiser Hein, M.A.; Schwab, R.; Heidinger, R.;

Applied Superconductivity, IEEE Transactions on , Volume: 9 , Issue: 2 , June

Pages:1936 - 1939

[Abstract] [PDF Full-Text (408 KB)] IEEE JNL

7 Large-area and double-sided pulsed laser deposition of Y-Ba-Cu-O the films applied to HTSC microwave devices

Lorenz, M.; Hochmuth, H.; Natusch, D.; Borner, H.; Tharigen, T.; Patrikarako: D.G.; Frey, J.; Kreher, K.; Senz, S.; Kastner, G.; Hesse, D.; Steins, M.; Schm W.:

Applied Superconductivity, IEEE Transactions on , Volume: 7 , Issue: 2 , June

Pages:1240 - 1243

[Abstract] [PDF Full-Text (560 KB)] IEEE JNL

8 Rapid design of biorthogonal wavelet transforms

Masud, S.; McCanny, J.V.;

Circuits, Devices and Systems, IEE Proceedings [see also IEE Proceedings G-Circuits, Devices and Systems] , Volume: 147 , Issue: 5 , Oct. 2000 Pages: 293 - 296

[Abstract] [PDF Full-Text (396 KB)] IEE JNL

9 From PI to H control in a unified framework

Kristiansson, B.; Lennartson, B.; Fransson, C.-M.;

Decision and Control, 2000. Proceedings of the 39th IEEE Conference on , Vol 3 , 12-15 Dec. 2000

Pages: 2740 - 2745 vol.3

[Abstract] [PDF Full-Text (468 KB)] IEEE CNF

10 Efficient and simple hardware realization for broadband GMSK-

modulators using PLD-technology to enable MPEG2-transmissions in a standard TV-channel

Heiner, C.;

Devices, Circuits and Systems, 2000. Proceedings of the 2000 Third IEEE International Caracas Conference on , 15-17 March 2000

Pages:T95/1 - T95/4

[Abstract] [PDF Full-Text (272 KB)] IEEE CNF

11 New method for obtaining SV-PWM patterns following an arbitrary reference

Lamich, M.; Balcells, J.; Gonzalez, D.;

IECON 02 [Industrial Electronics Society, IEEE 2002 28th Annual Conference (

the], Volume: 1, 5-8 Nov. 2002

Pages:18 - 22 vol.1

[Abstract] [PDF Full-Text (450 KB)] IEEE CNF

12 FIR filters for compensating D/A converter frequency response distortion

Vankka, J.; Lindeberg, J.; Halonen, K.;

Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium

on , Volume: 4 , 26-29 May 2002

Pages:IV-105 - IV-108 vol.4

[Abstract] [PDF Full-Text (306 KB)] IEEE CNF

13 CINRAD WSR-98D and its ground clutter filter design

He Jianxin;

Radar, 2001 CIE International Conference on, Proceedings , 15-18 Oct. 2001

Pages:1186 - 1189

[Abstract] [PDF Full-Text (297 KB)] IEEE CNF

14 Rapid VLSI design of biorthogonal wavelet transform cores

Masud, S.; McCanny, J.V.;

Signal Processing Systems, 1999. SiPS 99. 1999 IEEE Workshop on , 20-22 O

1999

Pages: 291 - 300

[Abstract] [PDF Full-Text (412 KB)] IEEE CNF

15 Rapid design of discrete orthonormal wavelet transforms using silic IP components

Masud, S.; McCanny, J.V.;

Acoustics, Speech, and Signal Processing, 1999. ICASSP '99. Proceedings., 19 IEEE International Conference on , Volume: 4 , 15-19 March 1999

Pages:2167 - 2170 vol.4

[Abstract] [PDF Full-Text (312 KB)] IEEE CNF

1 2 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |